



Report #:
IF-824-QSA-TR006-BTL261022-35

Page 1 of 2

Certificate of Analysis (CoA) - Finnrick

Date:

Date Tested:

Customer:

Testing material:

Lot Number:

Content/Potency:

Storage:

Visual Description:

Labeled as:

Manufacturer:

Testing Purpose:

8/3/2026

7/30/2026

Finnrick

Retatrutide

99DN42X

60 mg


R.T.

Small clear vial: white sample, white label, silver crimp, orange plastic cap.

Retatrutide

N/A

FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	134.7 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Retatrutide with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: $\geq 98\%$	99.9 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 60 mg	63.8 mg (106.4 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	63.8 : 70.9 mg (1:1.1)

Andrea

Castro

Andrea Castro, BS

Scientist-II

BTLabs

Digitally signed by Andrea Castro

DN: CN=Andrea Castro, O=

BTLabs, E=acastro@

btlabtesting.us

Reason: I am approving this

document

Location:

Date: 2026.08.04 14:06:13-04'00'

Foxit PDF Reader Version:

2026.1.0

Escarlet

Cabriele

Escarlet Cabrieles, BS

Scientist-II

BTLabs

Digitally signed by Escarlet

Cabrieles

DN: CN=Escarlet Cabrieles, E=

ecabrieles@btlabtesting.us

Reason: I am the author of this

document

Location:

Date: 2026.08.04 14:08:33-04'00'

Foxit PDF Reader Version:

2026.1.0




Report #:

IF-824-QSA-TR006-BTL261022-35


Page 2 of 2

Certificate of Analysis (CoA) - Finnrick

FTIR ID and Composition Analysis: Retatrutide Lot 99DN42X



HPLC Purity and Potency Assay @ 280 nm: Retatrutide Lot 99DN42X



Retatrutide Lot 99DN42X @ 280 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	9.977	2496.6

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407

Phone: (561) 941-4835

E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>